


1. Product dimension:

MODEL:SS-GU10-COB-7W-80D



Beam Angle




2. Key features

- Light source: 7W COB LED
- Lifespan: 40,000hrs.

- Bajo calentamiento, no UV o IR.
- CRI: >80
- Power Factor: >0,5.
- Efficiency: >0.9.
- homogeneous illumination
- Optimized heatsink design aesthetic.
- reaches a light output directional equal to that of a lamp 50W incandescent and consumes 80% less.
- 5 years warranty.
- Certificates: CE RoHS cUL .
- Dimensions: 50mm Diam. X 55 mm.
- **Work with 110V AC.**
- **Dimmable by triac system**

3. Specification



| Item NO. | Wattage | Input Voltage | Color Type | CCT | Lumen | Luminous Efficiency | Beam Angle |
|------------------------|---------|---------------|---------------|-------------|--------|---------------------|------------|
| SS-GU10-C OB-7W-80D | 7 W | 85-265V AC | Warm White | 2800K~3000K | 579 lm | 83lm/w | 80° ±2° |
| SS-GU10-C OB-7W-80D | 7 W | 85-265V AC | Natural White | 4000K~4500K | 636 lm | 91lm/w | 80° ±2° |
| SS-GU10-C OB-7W-80D | 7 W | 85-265V AC | Cool White | 5700K~6300K | 700 lm | 100lm/w | 80° ±2° |


4. Technical information

Distribution Curve of Meridian

SS-GU10-COB-7W-80D

2800-3000K


80°



Illumination Cone Curve

SS-GU10-COB-7W-80D

80°



5. Application information

- Spot lighting
- Architectural lighting.
- Designer Lighting.
- General Lighting.
- Commercial Lighting.



6. Remarks

- A. Switch off the power before replacing lamp;
- B. Keep away from direct sunshine and high temperature;
- C. Do not light the led light 24hours per day constantly.
- D. All goods will be guaranteed for 24months after shipment for normal use only.
- E. Improper use (wrong voltage, wrong power supply, wrong dimmer etc) will not be guaranteed.
- F. For quality problem,we will send free replacements for bulbs or other spare parts as requested together with next order.
- G. For damaged goods, you need to inform us within three days after receiving the goods.We will send you replacement spare parts (bulbs) or help to claim from the forwarder.

7.Package:

| Item Number | BOX SIZE | Unit Weight | Quantity / Carton | Carton Size | Shipping Weight |
|--------------------|-------------|-------------|-------------------|----------------|-----------------|
| SS-GU10-COB-7W-80D | 53X53X73 MM | 0,075 KG | 200 PCS/Carton | 570X570X180 MM | 16,0 KG |